MAHARASHTRA UNIVERSITY OF HEALTH SCIENCES, NASHIK

INFRASTRUCTURE DETAILS

This Annexure to be verify at time of inspection by assessors

ALL SUPPORTING DOCUMENT POINT WISE IN CLEAR VISBLE MUST BE UPLOAD ON WEB SITE

r. 0.	Particulars to be verified	Details on College	Adequate/ Inadequat
	College	Website	
	(All document must be available on web site) Land details: Total land, owner, unitary or not, NA of all land, 7/12 extracts of all land (Applicable only to Private Colleges). (Verify land documents & Government permissions documents are uploaded on College Website. No Land/ Construction documents shall be submitted to the University.	Yes	Adequate
	Only deficit information to be pointed out to the University).		
7	Total constructed area of college building Attached Completion Certificate with Map	- sgreen and the	
· Seria	(1) Administrative Section: Total Area 967.21sq.ft (which includes) Principal Room, P.A. Room, Reception cum Visitors lounge, Meeting hall, Account section, Record and Central store etc.	Yes	Adequate
1	(II) Lecture Halls:		
	 a) Total No. of Lecture Halls: 06 b) IT enabled, Audio / Video teaching Aids: 08 c) Total area for lecture Halls: 2834.6 sq.ft. 	Yes	Adequate
	(III) Seminar or Conference or Examination Hall for nursing: a) Total Area: 2277.24 .Sq.ft. b) Total Seating Capacity: 200 c) Audio / Video System and Other Facilities 08	Yes	Adequate
	(IV) Library:- (Evidences to be attached) a) Total Area: 1158.34 sq.ft Total No. of Books: 3149 Distribution of books: 1819 Capacity of Reading Hall:-for Students: 50 for Teachers: 15	Yes	Adequate
	No. of Scientific Journals: 61 No. of News Papers/Research Journals: 61 Photo Copier Machine: 01 Drinking water & Washrooms: Yes b) Digital Library: No. of Computers: 12 Internet Facility: Yes Speed: -100mpbs	Yes	Adequate
	(V) Teaching Departments:		
	There shall be Five Teaching Departments as per MSR No. of departments <u>05</u> Departmental Area, No. of Books/ Charts / Models / Specimens (dry and wet) / Museum in each department information to be uploaded on college website.	Yes	Adequate
	(VI) Laboratories:- Laboratories:- Laboratories: As per MSR (3688Sq.ft.) Nursing Foundation and Medical Surgical Nursing Lab (1500 Sq.ft.), CHN (900 Sq.ft.), Nutrition (900Sq.ft.), OBG and Paediatric: 900Sq.ft.), Pre-Clinical Science (900Sq.ft.), Advanced Nursing Skill Lab (900Sq.ft.), Computer Lab (1500Sq.ft.), with 10 computer as per Intake capacity, AV Aids (600 sq ft), well Equipped Lab must have Mannequins, Articles & Beds as per MSR & INC Norms	Yes	Adequate

VI. Casualty Facilities		
State Government Permission Letter attach copy on web site		
	Yes	Adequate
VII. Central Clinical Laboratory details		
(all Relevant information on hospital letter head to be uploaded on web site)		
Well-equipped with separate sections for Pathology, Biochemistry and Micro-biology.		
Attached toilet shall be there for collection of urine samples. Other diagnostic tools for	Yes	Adequate
ECG or TMT etc. shall be Provided.		
VIII. Radiology or Sonography Section:-:-		
(all Relevant information on hospital letter head to be uploaded on web site)		ų.
Radiologist chamber, X-ray room,	b _i	
Dark room, film drying room, store room, patients waiting and dressing room,	Yes	Adequate
reception or registration or report room.	_AN_	
IX. Labor Room: - Along with IVF center.	1	
Average Deliveries conducted annually/Monthly/ Daily as per Birth record maintained by	" AJA	
hospital:- (information to be available on web site)	(GA)	
A 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Yes	Adequate

Date: - 28 - 01 - 2025



Dean/ Principal Stamp & Signature

PRINCIPAL
TEHMI GRANT I.N.E.
RUBY HALL CLINIC, PUNE-1,

